

Industrial Cleaning Machine

Used Industrial Cleaning Machine South Dakota - Save hours of time by relying on commercial floor scrubbers to provide an efficient method for cleaning and maintaining floors in an efficient manner. Did you know that according to surveys, roughly ninety percent of the maintenance for flooring expenses is related to labor? Large areas can be cleaned thoroughly and with less staff when commercial floor scrubbers are utilized. There are a variety of automated commercial floor scrubbing models available on the market. More recently, advancements in technology have brought about robotic versions of commercial floor scrubbers. Floor scrubbers are equipped with an automated system which dispenses a cleaning compound. Some automatic floor scrubbing models within a vacuum system may be fitted at the rear of the machine with a squeegee attachment behind the suction nozzle. These machines feature separate recovery or collection tanks. The cleaning mixture is held in the dispersing tank while the collection tank is home to the material gathered by the vacuum and the liquids accumulated there. This design keeps dirty and clean water away from each other to create a more hygienic option compared to traditional mop and bucket methods. The automatic scrubber initially dispenses the cleaning compound via the dispensing tank. Next, the scrubbing system pushes this solution into the floor to loosen marks, stains and dirt which become suctioned back into the collection tank as the machine makes a pass.

Automatic Floor Scrubber Head Types There are three main types of floor scrubber heads including cylindrical, rotary (also known as disk), and square oscillating.

Rotary or Disk Floor Scrubber Head The disk or rotary model of floor scrubber head is the most popular kind. They use a circular motion with one or two round pads or brushes to push a cleaning compound into the floor.

Cylindrical Floor Scrubber Head The cylindrical floor scrubber head uses counter rotating tube style brushes that rotate at a 90 degree angle to the floor. This style of brushes facilitates better cleaning for irregular or uneven surfaces. The cylindrical floor scrubbing machines often have a collection tray found behind the scrubber head to enable easier pickup of small items such as pebbles or nails. The multiple brush types available make cleaning various types of flooring possible. A softer brush can be used to clean rubber, textured tile and synthetic floors while a stiffer brush can be used for rough surfaces such as concrete and grouted tile.

Square Oscillating Floor Scrubber Head There is a flat pad on square oscillating floor scrubbing models that vibrate at high speed to clean the floor. The square design makes it easier to clean close to walls and in corners. When used with a special stripping pad, square scrubber heads are able to strip floor finish from a floor. Vinyl tile flooring can also benefit from being cleaned with square oscillating pads. Due to the high-speed oscillation, the square pads deliver more agitation and floor cleaning power. Cleaning grouted tile is much easier when these oscillating pads are utilized.

Floor Scrubber Categories Four main categories comprise the floor scrubber family including Stand-on, Walk-behind, Robotic and Rider models.

Walk-Behind Floor Scrubbers Walk behind floor scrubbers are equipped with a forward assist mechanism that gently propels the machine forward when the feature is enabled by the operator. The forward assist helps curb fatigue of the operator which allows the operator to continue for a longer period of time, reducing fatigue and greatly increasing efficiency when compared to traditional manual methods.

Stand-On Floor Scrubbers The stand-on floor scrubber models provide better efficiency for larger spaces compared to walk-behind models and these units are more cost-efficient compared to a rider floor scrubber. These machines are also typically smaller than a rider machine so can fit into areas a rider floor scrubber could not and have increased maneuverability. Stand-on units provide the operator with a better view compared to rider models and walk-behind machines.

Rider Floor Scrubbers The rider units allow the operator to be seated while the machine is in operation. The rider models allow the operator to sit during the entire cleaning process, thus helping to reduce fatigue as they clean the floors. This design facilitates up to sixty-five percent more efficiency in comparison to the walk-behind models and allows large areas of the floor to be covered more efficiently.

Robotic Floor Scrubbers Advancements in the field of autonomous robotics have created a new

group of floor-scrubbing machines. These units were born by joining self-control robotic features with automatic floor scrubbing options. Commercial models are suitable for education, retail, healthcare and manufacturing facilities. Certain robotic commercial units are capable of cleaning an area up to ten thousand square feet in one hour. With continuous development in robotic technology, the advancement of robotic floor scrubbers will intensify over the years. Improved computing technology and better sensors are some of the noted areas expected to become even more efficient. The latest advancements in mobile robotic sensors enable these floor scrubbing units to detect a wider range around walls and objects. This will enable the unit to be precise when determining its particular location in large locations including airports, convention centers and shopping malls. The first models of residential cleaning machines operated in a random cleaning pattern. Updated models of commercial floor scrubbing units can complete their jobs much more accurately. Newer floor scrubbing models operate in a predictable pattern to cover the floor as efficiently as possible. Because of these advancing capabilities which allow these robotic floor scrubbers to know precisely where they have already cleaned and what areas they must still clean, they miss very few, if any, areas of the floor. Special sensors help the robotic floor scrubbers navigate around obstacles and people when they encounter any while operating autonomously.

Additional Floor Scrubber Options and Considerations

Hard to Reach Areas Many floor scrubbers are unable to reach edges, corners or under or around fixtures such as water fountains. Typically, these locations would need to be cleaned with a mop and bucket if they could not accommodate the machine. Some floor scrubbing manufacturers have created oscillating brushes that enable the machine to access tricky locations.

Pre-Sweeping and Vacuum System Maintenance Pre-sweeping features and vacuum systems enable newer models to complete a dry cleaning before the wet scrub option. This allows the machine to remove debris prior to scrubbing without having to employ a traditional dry mop or broom. The collection chamber is situated in front of the vacuum system to catch loose debris and dust before these items can damage the unit. Blockages to the vacuum hose or motor are avoided with this pre-sweep brush head and collection design. It was previously necessary to sweep with a broom or dry mop to dispose of debris and dust that might clog the vacuum hose or accumulate in the vacuum motor and negatively affect performance. If blockages in the vacuum system do occur, the vacuum hose might need to be removed to clear the blockage. Occasionally, the vacuum motor may need to be blown out with compressed air to clear away any debris.

Environmental Options Certain floor scrubbing models have environmentally friendly options. There are more environmental features incorporated into certain designs including safer soaps and water-saving systems to reduce the greywater and the chemicals. There are some floor scrubbers on the market with the capacity to clean with zero chemicals or water.

Solution Dispensing System Maintenance and Considerations Stripping solutions are not compatible with most floor scrubbers as they can cause damage to the solution dispensing system. These solutions can be vacuumed up safely without causing damage to the machine. The solution system should be periodically flushed with a water and vinegar mixture to clean the system of any soap and calcium deposits that can accumulate in the solution system.